Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	2	"20030037320"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/26 12:46
S2	0	(class near2 dependenc$3) and ((stor$3 near2 'hash table') or (stor$3 near2 'database')) and (list near2 (dependen$4 near2 class)) and ('recursive' near4 dependen$4) and 'object' and (serializ$4 near2 class) and 'cache' and (distribu$4 near2 class) and (@ad<"20010810" or @prad<"20010810" or @rlad<"20010810")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/26 12:53
S3	0	(class near2 dependenc$3) and ((stor$3 near2 'hash table') or (stor$3 near2 'database')) and (list near2 (dependen$4 near2 class)) and ('recursive' near4 dependen$4) and 'object' and 'cache' and (distribu$4 near2 class) and (@ad<"20010810" or @prad<"20010810" or @rlad<"20010810")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/26 12:55
S4	0	(class near2 dependenc$3) and ((stor$3 near2 'hash table') or (stor$3 near2 'database')) and (list near2 (dependen$4 near2 class)) and 'object' and 'cache' and (distribu$4 near2 class) and (@ad<"20010810" or @prad<"20010810" or @rlad<"20010810")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/26 12:56
S5	0	(class near2 dependenc$3) and ((stor$3 near2 'hash table') or (stor$3 near2 'database')) and (list near2 (dependen$4 near2 class)) and 'object' and 'cache' and (@ad<"20010810" or @prad<"20010810" or @rlad<"20010810")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/26 12:56

S6	2	(class near2 dependenc$3) and ((stor$3 near2 'hash table') or (stor$3 near2 'database')) and (list near2 (dependen$4 near2 class)) and 'object' and (@ad<"20010810" or @prad<"20010810" or @rlad<"20010810")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/26 13:38
S7	1	(class near2 dependenc$3).ab. and (list near2 (dependen$4 near2 class)) and 'object' and (@ad<"20010810" or @prad<"20010810" or @rlad<"20010810")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/26 13:40
S8	1	(((class near2 dependenc$3).ab.) or ((class near2 dependenc$3).ti.)) and (list near2 (dependen$4 near2 class)) and 'object' and (@ad<"20010810" or @prad<"20010810" or @rlad<"20010810")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/26 14:05
S9	15	(((class near2 dependenc$3).ab.) or ((class near2 dependenc$3).ti.)) and 'object' and (@ad<"20010810" or @prad<"20010810" or @rlad<"20010810")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/26 15:43
S10	1	(((class near2 dependenc$3).ab.) or ((class near2 dependenc$3).ti.)) and 'object list' and (@ad<"20010810" or @prad<"20010810" or @rlad<"20010810")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/26 15:43